52602309 : สาขาวิชาการประกอบการ

คำสำคัญ: โรงพยาบาลบ้านแพ้ว (องค์การมหาชน) / ความเครียด / พยาบาลวิชาชีพ

ชนิดา ชัยวิรุฬห์: ความสัมพันธ์ระหว่างปัจจัยที่ส่งผลต่อความเครียดกับความเครียดของ พยาบาลวิชาชีพโรงพยาบาลบ้านแพ้ว (องค์การมหาชน). อาจารย์ที่ปรึกษาการค้นคว้าอิสระ: ผศ. ประสพชัย พสุนนท์. 153 หน้า.

การวิจัยครั้งนี้ มีวัตถุประสงค์เพื่อศึกษาความสัมพันธ์ของปัจจัยส่วนบุคคลและปัจจัยที่ ส่งผลต่อความเครียดกับความเครียดของพยาบาลวิชาชีพ โรงพยาบาลบ้านแพ้ว (องค์การมหาชน) อำเภอบ้านแพ้ว จังหวัดสมุทรสาคร โดยเก็บรวมรวมข้อมูลจากการเลือกสุ่มตัวอย่างเฉพาะพยาบาล วิชาชีพ โรงพยาบาลบ้านแพ้ว (องค์การมหาชน) ด้วยการสุ่มตัวอย่างแบบโควตา จำนวน 132 คน

ผลการวิจัย พบว่า 1) พยาบาลวิชาชีพส่วนใหญ่เป็นเพศหญิง มีอายุระหว่าง 21 - 30 ปี สถานภาพโสด อาชีพคู่สมรสส่วนใหญ่มีอาชีพรับราชการ การศึกษาจบระดับปริญญาตรี รายได้ เฉลี่ยต่อเคือนอยู่ระหว่าง 10,000 - 20,000 บาท สถานที่พักอาศัยจะพักบ้านพักสวัสดิการ ส่วนใหญ่ ทำงานมาแล้ว 1 - 3 ปี เคยได้รับการตรวจสุขภาพ ปีละ 1 ครั้ง และในระยะเวลาการทำงาน 1 ปี ส่วนใหญ่เคยลาพักผ่อน โคยใช้วันลาพักผ่อน มากกว่า 2 ครั้งต่อ และใช้จำนวนวันลาพักผ่อนแต่ละ ครั้งอยู่ระหว่าง 3 - 5 วัน 2) ปัจจัยที่ส่งผลต่อความเครียดทั้ง 5 ด้าน เรียงลำดับตามความสำคัญ คือ ด้านสภาพแวคล้อมในการทำงาน ด้านค่าตอบแทนและสวัสดิการ ด้านสัมพันธภาพกับเพื่อน ร่วมงาน ภาพรวมของการดูแลตนเองและบทบาทในการทำงาน พบมีระดับความเครียดเป็นจริงปาน กลาง 3) ระดับความเครียดของพยาบาลวิชาชีพ โรงพยาบาลบ้านแพ้ว (องค์การมหาชน) อยู่ใน ระดับต่ำ 4) ความแตกต่างระหว่างปัจจัยส่วนบุคคลกับความเครียดของพยาบาลวิชาชีพทั้ง 9 ปัจจัย คือ เพศ อายุ สถานภาพสมรส ระดับการศึกษา รายได้เฉลี่ยต่อเดือน สถานที่พักอาศัย ระยะเวลา ในการทำงาน การตรวจสุขภาพ และการลาพักผ่อน พบว่า ไม่มีผลต่อความเครียด และ 5. การ วิเคราะห์ค่าสัมประสิทธิ์สหสัมพันธ์เพียร์สันของความเครียดและปัจจัยที่ส่งผลต่อความเครียดของ พยาบาลวิชาชีพ รวม 5 ด้าน คือ ด้านค่าตอบแทนและสวัสดิการ ด้านสภาพแวดล้อมในการ ด้านสัมพันธภาพกับเพื่อนร่วมงาน ด้านการดูแลตนเองและด้านบทบาทในการทำงาน พบว่า มีความสัมพันธ์กับความเครียด ที่ระดับนัยสำคัญ 0.05

สาขาวิชาการประกอบการ	บัณฑิตวิทยาลัย มหาวิทยาลัยศิลปากร	ปีการศึกษา 2553
ลายมือชื่อนักศึกษา		
ลายมือชื่ออาจารย์ที่ปรึกษาการ	ค้นคว้าอิสระ	

52602309: MAJOR: ENTREPRENEURSHIP

KEY WORD: BANPHAEOW HOSPITAL (PUBLIC ORGANIZATION)/STRESS/ PROFESSIONAL CHANIDA CHAIWIRUN: THE RELATIONSHIPS BETWEEN FACTORS DRIVING THE STRESS AND STRESS OF PROFESSIONAL NURSE BANPHAEO HOSPITAL (PUBLIC ORGANIZATION). INDEPENDENT STUDY ADVISOR: ASST.PROF.PRASOPCHAI PASUNON. 153 pp.

The purposes of this research is to study the relationship of personal factor and factor determining stress with stress of professional nurses in Banphaeow hospital (public organization) Ampor Banphaeow, Samutsakorn Province. Data were collected from 132 professional nurses, in Banphaeow hospital (public organization, selected through quota random sampling method.

The research found that 1) most of professional nurses are female in the age of 21 to 30 year - old. Marital status is single. Occupation of spouse is governmental officer. Highest education is bachelor degree and monthly average earnings are 10,000 - 20,000 baht. Accommodation is the apartment provided by the employer. Most of them have 1-3years experienced and receive health check up once a year. In one year, they take vacation more than 2 times a month and 3 - 5 days a time. 2) with five important factors determining stress on professional nurses, which are working environment, compensation and benefits, relationships with colleagues, overview of self taking care, and role and responsibility, the stress level of the professional nurses is in intermediate level of reality. 3) the stress level of the professional nurses in Banphaeow hospital (public organization) is low. 4) the differences between 9 personal factors, which are gender, age, marital status, education, average earnings, accommodation, work experiences, health checking up and vacation taking, and stress do not dominant the stress of the professional nurses.5) Pearson correlation analysis of stress and 5) factors determining stress of professional nurses explains that working environment, compensation and benefits and relationships with colleagues do not have relationship with the stress at the significant level of 0.05. The factor of self taking care has relationship with stress with the significant level of 0.05. The factor of role and responsibility is studied in two different criteria; the unclear role and conflict of role. The study found that factor of unclear role has not relationship with stress with the significant level of 0.05 and factor of conflict of role has relationship with stress with the significant level of 0.05.

กิตติกรรมประกาศ

การศึกษาวิจัยนี้สำเร็จสมบูรณ์ได้เป็นผลมาจากการได้รับความช่วยเหลือจากอาจารย์ที่ ปรึกษา ผส. ประสพชัย พสุนนท์ ที่กรุณาให้คำแนะนำและข้อคิดเห็นต่างๆ ต่อการศึกษาวิจัยครั้งนี้ มาโดยตลอด ผู้วิจัยขอขอบคุณเป็นอย่างสูงไว้ ณ โอกาสนี้ ขอขอบคุณพยาบาลวิชาชีพโรงพยาบาล บ้านแพ้ว (องค์การมหาชน) ทุกท่าน ที่ได้ให้ความช่วยเหลือในการให้ข้อมูลในการตอบ แบบสอบถาม พร้อมทั้งข้อเสนอแนะที่เป็นประโยชน์แก่ผู้วิจัย ทำให้งานวิจัยนี้สำเร็จสมบูรณ์ ด้วยดี

ท้ายที่สุดนี้ ผู้วิจัยขอขอบคุณทุกคนในครอบครัว และอีกหลายท่านที่มิได้กล่าวนามที่ เป็นกำลังใจให้อย่างสม่ำเสมอ ทำให้ผู้วิจัยสามารถทำงานนี้อย่างสมบูรณ์

umonaufauns auguānā